

**NSA/CSS EVALUATED PRODUCTS LIST
for
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains high security destruction devices evaluated by the National Security Agency/Central Security Service (NSA/CSS) that meet the performance requirements of NSA/CSS High Security Crosscut Paper Shredder Specifications. The table on page two identifies High Security Crosscut Combination Optical and Paper Shredders; additional tables are High Security Crosscut Paper Shredders only. Inclusion of a product in the EPL is not an endorsement by NSA/CSS or the U.S. Government.

The EPL shows the shredder device name, model number, and contact data for sponsor of each device evaluated for sanitization of all classification levels. It also lists the shredder feed throat width and quantity of paper reams shredded in one-hour durability test. All tests were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheets per ream. All evaluations were performed with oil unless specified without oil in the remarks section.

This EPL captures all High Security Crosscut Paper Shredders evaluated to the NSA/CSS Specification since August 2002. All approved models that are discontinued and/or no longer manufactured are still valid and will remain on the EPL. Updates to the EPL will be on an as-needed basis. Users are encouraged to contact the manufacturer representatives for assistance in selecting the best unit suited to their requirements. If a user has questions about a specific model not listed on the EPL, they can contact the Center for Storage Device Sanitization Research (CSDSR) at 301-688-1053, e-mail: CSDSR@nsa.gov, or contact their respective Client Advocate Service.

The NSA/CSS PM 9-12 Storage Device Sanitization Manual provides sanitization guidance for all classified storage devices. Approved high security crosscut paper shredders must reduce paper documents to shards measuring five millimeters square or less in area (one millimeter by five millimeter is the most common particle size).

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should contact designated customer support channels through the NSA/CSS Information Assurance Directorate (IAD) Client Advocate Services. For IAD Client Advocate support to Civil and DoD Agencies, please call 1-410-854-4790 and for Military Services, Intelligence, and Combatant Commands please call 1-410-854-4200. If you prefer to send an e-mail, please contact us at NIASC@nsa.gov. For all other inquiries, please contact the NSA/CSS Public Affairs Office via phone at 301-688-6524 or send an e-mail to nsapao@nsa.gov.

COMBINATION OPTICAL & PAPER SHREDDERS					
Device Name	Model	Sponsor	Acceptable Media*	Rate (discs/hr)	One Hour Durability Test
Capital Shredder	K-16 Destroyer	Capital Shredder Corp.	CDs DVDs Paper	1,465	Sheet Capacity: 6 Total Reams: 10 Feed Opening: 9.5"
Capital Shredder	SS-16D	Capital Shredder Corp.	CDs DVDs Paper	2000	Sheet Capacity: 8 Total Reams: 19 Feed Opening: 10.25"
Dynamo	672 Formerly: 662 HSAL DUAL	New Market Enterprises	CDs DVDs Paper	2000	Sheet Capacity: 9 Total Reams: 10 Feed Opening: 10.25"
Formax	FD8730HS	Formax	CDs DVDs Paper	2000	Sheet Capacity: 8 Total Reams: 19 Feed Opening: 10.25"
HSM	SecurioP36(1x5mm) OMDD COMBO Formerly: Securio P36L6-OMDD COMBO	HSM of America, LLC	CDs DVDs Paper	2,000	Sheet Capacity: 7 Total Reams: 15 Feed Opening: 13"
Kobra	400HS6 Combi	Marquis Business Systems	CDs DVDs Paper	1,465	Sheet Capacity: 6 Total Reams: 10 Feed Opening: 9.5"
ProSource	AB950OMP	ProSource Packaging, Inc.	CDs DVDs Paper	1,465	Sheet Capacity: 6 Total Reams: 10 Feed Opening: 9.5"
Datastroyer	DCS 36/6	Whitaker Brothers Business Machines, Inc.	CDs DVDs Paper	2000	Sheet Capacity: 7 Total Reams: 15 Feed Opening: 13"

REFERENCE CHART FOR CONVERSION
0.8 millimeter = 1/32 inch (0.03125 inch)
1.0 millimeter = 5/128 inch (0.03906 inch)
4.8 millimeter = 3/16 inch (0.18750 inch)
5.0 millimeter = 25/128 inch (0.19531 inch)
12.7 millimeter = 1/2 inch (0.50000 inch)

SPONSOR: ACCO BRANDS USA LLC.					
This distributor is no longer authorized to distribute these products as of 1 MAY 2013.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
GBC	3890D	3	9 Inches	Total Reams 5	Approved if acquired before 5/1/2013
Rexel	1250-S6	3	10.5 Inches	Total Reams 9	Approved if acquired before 5/1/2013
	2250-S6	5	12 Inches	Total Reams 11	Approved if acquired before 5/1/2013
	3150-S6	4	16 Inches	Total Reams 11	Approved if acquired before 5/1/2013
	4550-S6	8	16 Inches	Total Reams 15	Approved if acquired before 5/1/2013
Swingline	CHS10-30	3	9 Inches	Total Reams 5	Approved if acquired before 5/1/2013

SPONSOR: ADAMS MARKETING ASSOCIATES					
"Out of Business"					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
HSM	125.2HS L 6	3	10.5 Inches	Total Reams 9	Formerly: AMA 125HS6 AMA 125.2HS Level 6
	225.2HS L 6	5	12 Inches	Total Reams 11	Formerly: AMA 225HS6 AMA 225.2HS Level 6
	390.2HS L 6	4	16 Inches	Total Reams 11	Formerly: AMA 390HS6 AMA 390.2HS Level 6
	411.2HS L 6	10	15.8 Inches	Total Reams 25	Formerly: AMA 411HS6 AMA 411.2HS Level 6

SPONSOR: CAPITAL SHREDDER CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Capital Shredder	K-9	3	9.5 Inches	Total Reams 4	
	K-10	4	10.25 Inches	Total Reams 8	
	K-10E	3	10.25 Inches	Total Reams 4	
	K-10TS	3	9.5 Inches	Total Reams 4	

SPONSOR: CAPITAL SHREDDER CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Capital Shredder	K-11TS	3	10.25 Inches	Total Reams 4	
	K-12	4	12 Inches	Total Reams 8	
	K-12TS	4	12 Inches	Total Reams 8	
	K-16	8	16 Inches	Total Reams 17	
	K-16 Destroyer	6	9.5 Inches	Total Reams 10	Optical destruction rate located on first table
	M-9	3	9 Inches	Total Reams 4	
	M-9D	3	9 Inches	Total Reams 4	
	M-10	3	10 Inches	Total Reams 10	
	M-10CT	3	10.25 Inches	Total Reams 7	
	M-10T	3	10.25 Inches	Total Reams 7	
	M-11CT	5	10.25 Inches	Total Reams 11	
	M-11T	5	10.25 Inches	Total Reams 11	
	M-12	4	12 Inches	Total Reams 10	
	M-16	5	16 Inches	Total Reams 11	
	M-16 HC	8	16 Inches	Total Reams 15	
	M-16 TS	8	16 Inches	Total Reams 15	
	SS-9	3	9.5 Inches	Total Reams 6	
	SS-10	5	12 Inches	Total Reams 10	Effective: 9/20/2011
	SS-16	4	16 Inches	Total Reams 10	
	SS-16D	8	16 Inches	Total Reams 18	Optical destruction rate located on first table
SS-16HC	8	10.25 Inches	Total Reams 19		

SPONSOR: CAPITAL SHREDDER CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Capital Shredder	T-12	6	11.75 Inches	Total Reams 18	No oil required
	T-12AF	9	11.75 Inches	Total Reams 20	No oil required Auto feeder option not approved

SPONSOR: CLARY BUSINESS MACHINES CO.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Clary	1200D	3	10.5 Inches	Total Reams 9	
	2200D	5	12 Inches	Total Reams 11	
	3900D	4	16 Inches	Total Reams 11	
	4100D	10	15.8 Inches	Total Reams 25	Effective: 6/1/2010

SPONSOR: CUMMINS-ALLISON CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Cummins-Allison	539	3	9.5 Inches	Total Reams 4	
	549	5	12 Inches	Total Reams 11	
	559	4	16 Inches	Total Reams 11	
	569	10	15.8 Inches	Total Reams 25	Effective: 6/1/2010

SPONSOR: DAHLE NORTH AMERICA, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Dahle	20394	8	16 Inches	Total Reams 15	
	20434 DS	3	9 Inches	Total Reams 4	
	20434 DXC	3	9 Inches	Total Reams 4	
	20634 EC	3	10 Inches	Total Reams 10	
	20834 EC	8	16 Inches	Total Reams 15	
	20835 EC	5	16 Inches	Total Reams 11	
	30434	4	12 Inches	Total Reams 10	
	33134	4	12 Inches	Total Reams 10	
	40334	3	10.25 Inches	Total Reams 7	
	40434	5	10.25 Inches	Total Reams 11	
	40534	5	12.063 Inches	Total Reams 11	Effective: 9/17/2013
	41334	3	10.25 Inches	Total Reams 7	
	41434	5	10.25 Inches	Total Reams 11	
Niche	204	3	9 Inches	Total Reams 4	
	206	3	10 Inches	Total Reams 10	
	208	5	16 Inches	Total Reams 11	
	209	8	16 Inches	Total Reams 15	

SPONSOR: FELLOWES BUSINESS MACHINES					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Fellowes	C-320HS	3	10.5 Inches	Total Reams 9	Formerly: 320-2 HS
	C-420HS	5	12 Inches	Total Reams 11	Formerly: 420-2 HS
	C-480HS	4	16 Inches	Total Reams 11	Formerly: 480-2 HS
	HS-400	3	9 Inches	Total Reams 4	
	HS-800	8	16 Inches	Total Reams 15	
Fellowes Powershred	300HS	3	9 Inches	Total Reams 5	
	700HS	7	10.25 Inches	Total Reams 15	
	1000HS	10	11.75 Inches	Total Reams 21	
	HS-440	3	9 Inches	Total Reams 5	
	HS-660	6	10.25 Inches	Total Reams 15	
	HS-880	6	15.25 Inches	Total Reams 14	
	HS-1010	10	11.75 Inches	Total Reams 28	Effective: 8/17/2011

SPONSOR: FORMAX					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Formax	FD8300HS	3	9.5 Inches	Total Reams 6	
	FD8400HS	5	12 Inches	Total Reams 10	Effective: 9/20/2011
	FD8500HS	4	16 Inches	Total Reams 10	
	FD8650HS	8	16 Inches	Total Reams 18	
	FD8730HS	8	10.25 Inches	Total Reams 19	Optical destruction rate located on first table

SPONSOR: HSM OF AMERICA, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Ativa	260 HS	3	10.5 Inches	Total Reams 9	
	270 HS	5	12 Inches	Total Reams 11	
	391 HS	4	16 Inches	Total Reams 11	
	401 HS	10	15.8 Inches	Total Reams 25	Effective: 6/1/2010
Primo	2600 HS Level 6	3	10.5 Inches	Total Reams 9	Formerly: Geha Primo
	2700 HS Level 6	5	12 Inches	Total Reams 11	Formerly: Geha Primo
	3900 HS Level 6	4	16 Inches	Total Reams 11	Formerly: Geha Primo
	4001 HS Level 6	10	15.8 Inches	Total Reams 25	Formerly: Geha Primo Effective: 6/1/2010
HSM	125.2HS (1x5mm)	3	10.5 Inches	Total Reams 9	Formerly: 125.2HS Level 6
	125.2HS (1x5mm) FD	3	10.5 Inches	Total Reams 9	Formerly: 125.2HS L6 FD
	225.2HS (1x5mm)	5	12 Inches	Total Reams 11	Formerly: 225.2HS Level 6
	390.3HS (1x5mm)	4	16 Inches	Total Reams 11	Formerly: 390.3HS Level 6 Formerly: 390.2HS Level 6
	411.2HS (1x5mm)	10	15.8 Inches	Total Reams 25	Formerly: 411.2HS Level 6 Effective: 6/1/2010
	Securio B24(1x5mm)	3	9.5 Inches	Total Reams 5	Formerly: Securio B24L6
	Securio B34(1x5mm)	5	12.2 Inches	Total Reams 8	Formerly: Securio B34L6
	Securio P36(1x5mm)	7	13 Inches	Total Reams 15	Formerly: Securio P36L6
	Securio P36(1x5mm) OMDD COMBO	7	13 Inches	Total Reams 15	Formerly: Securio P36L6- OMDD COMBO Optical destruction rate located on first table

SPONSOR: INTIMUS INTERNATIONAL					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Intimus	45CC6	4	10.25 Inches	Total Reams 9	
	60CC6	4	10.25 Inches	Total Reams 9	
	90CC6	4	10.25 Inches	Total Reams 9	
	120CC6	6	12.25 Inches	Total Reams 17	
	175CC6	11	16 Inches	Total Reams 29	

SPONSOR: MARQUIS BUSINESS SYSTEMS, L.L.C.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Kobra	240 HS6	3	9.5 Inches	Total Reams 4	
	260 HS6	3	10.25 Inches	Total Reams 4	
	260HS2/6	4	10.25 Inches	Total Reams 8	
	260 TS HS-6	3	9.5 Inches	Total Reams 4	
	270 TS HS-6	3	10.25 Inches	Total Reams 4	
	300 HS6	4	12 Inches	Total Reams 8	
	310 TS HS-6	4	12 Inches	Total Reams 8	
	400 HS6	8	16 Inches	Total Reams 17	
	400 HS6 Combi	6	9.5 Inches	Total Reams 10	Optical destruction rate located on first table

SPONSOR: MS SECURESHRED, INC. "Out of Business"					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Meiko Shokai	ID431MC	6	11.75 Inches	Total Reams 18	Approved if acquired before 5/1/2013 No oil required
	ID431MC-FK	9	11.75 Inches	Total Reams 20	Approved if acquired before 5/1/2013 No oil required Auto feeder option not approved

SPONSOR: NEW MARKET ENTERPRISES, LTD.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Dynamo	171	3	9.5 Inches	Total Reams 6	Formerly: 160HS Formerly: 160 Level 6
	172	4	10 Inches	Total Reams 8	Formerly: 160+ Effective: 7/12/2012
	271	3	10.25 Inches	Total Reams 5	Formerly: 260HS Formerly: 260 Level 6
	371	5	11.25 Inches	Total Reams 8	Formerly: 360HS Formerly: 360 Level 6
	471	8	12.25 Inches	Total Reams 11	Formerly: 460HS Formerly: 460 Level 6
	571	8	16.125 Inches	Total Reams 11	Formerly: 560HS Formerly: 560 Level 6
	672	9	10.25 Inches	Total Reams 10	Optical destruction rate located on first table Formerly: 662 HSAL DUAL

SPONSOR: OLYMPIA BUSINESS SYSTEMS, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Olympia	1300.1C	3	9.5 Inches	Total Reams 8	
	D1300.1C Deployment Shredder	3	9.25 Inches	Total Reams 8	
	1500.1C	5	10.25 Inches	Total Reams 15	
	D1500.1C Deployment Shredder	5	10.25 Inches	Total Reams 15	
	1650.1C	5	16 Inches	Total Reams 11	

SPONSOR: OLYMPIA BUSINESS SYSTEMS, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Olympia	1702.1C	8	16 Inches	Total Reams 19	
	1750.1C	8	9.25 Inches	Total Reams 23	
	1800.1C	8	12 Inches	Total Reams 15	

SPONSOR: PROSOURCE PACKAGING, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
ProSource	AB 120	4	12 Inches	Total Reams 8	
	AB 125	4	12 Inches	Total Reams 8	
	AB 160	8	16 Inches	Total Reams 17	
	AABES Pro 45CC6	4	10.25 Inches	Total Reams 9	
	AABES Pro 60CC6	4	10.25 Inches	Total Reams 9	
	AABES Pro 90CC6	4	10.25 Inches	Total Reams 9	
	AABES Pro 120CC6	6	12.25 Inches	Total Reams 17	
	AABES Pro 175 CC6	11	16 Inches	Total Reams 29	
	AABES Pro 1300.1C	3	9.25 Inches	Total Reams 8	
	AABES Pro 1300.1C Deployment Shredder	3	9.25 Inches	Total Reams 8	
	AABES Pro 1500.1C	5	10.25 Inches	Total Reams 15	
	AABES Pro 1500.1C Deployment Shredder	5	10.25 Inches	Total Reams 15	
	AABES 20394	8	16 Inches	Total Reams 15	
	AABES 40334	3	10.25 Inches	Total Reams 7	
	AABES 40434	5	10.25 Inches	Total Reams 11	

SPONSOR: PROSOURCE PACKAGING, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
ProSource	AABES 41334	3	10.25 Inches	Total Reams 7	
	AABES 41434	5	10.25 Inches	Total Reams 11	
	AB90	3	9.5 Inches	Total Reams 4	
	AB95	3	9.5 Inches	Total Reams 4	
	AB102	3	9.5 Inches	Total Reams 4	
	AB102M	4	10.25 Inches	Total Reams 8	
	AB105	3	10.25 Inches	Total Reams 4	
	AB9500MP	6	9.5 Inches	Total Reams 10	Optical destruction rate located on first table

SPONSOR: SECURITY ENGINEERED MACHINERY					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
SEM	126C/2	3	10.5 Inches	Total Reams 9	
	226C/2	5	12 Inches	Total Reams 11	
	244/3	4	10.25 Inches	Total Reams 8	
	244/4	8	10.25 Inches	Total Reams 17	Effective: 11/17/2008
	266/3	8	12.5 Inches	Total Reams 21	Formerly: 266
	266/4	10	11.75 Inches	Total Reams 28	Effective: 8/17/2011
	344	5	10.25 Inches	Total Reams 12	Effective: 5/9/2012
	391C/2	4	16 Inches	Total Reams 11	
	412C/2	10	15.8 Inches	Total Reams 25	Formerly: 455/2
	1201CC	6	11.75 Inches	Total Reams 18	No oil required

SPONSOR: SECURITY ENGINEERED MACHINERY					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
SEM	1201CCAF	9	11.75 Inches	Total Reams 20	No oil required Auto feeder option not approved
	1324C/3	3	9 Inches	Total Reams 5	Formerly: 1124C/3
	2226CC/3	6	10.25 Inches	Total Reams 15	Formerly: 2226CC
	3140C/3	4	16 Inches	Total Reams 11	Effective: 8/1/2007
	4140C/4	6	15.25 Inches	Total Reams 14	
	5140C/4	10	16 Inches	Total Reams 24	Effective: 5/9/2012 Formerly: 5140C/3

SPONSOR: STAPLES TECHNOLOGY SOLUTIONS					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
HSM	525L6	3	10.5 Inches	Total Reams 9	Formerly:Maxguard/ICGS
	535L6	5	12 Inches	Total Reams 11	Formerly:Maxguard/ICGS
	590L6	4	16 Inches	Total Reams 11	Formerly:Maxguard/ICGS
	611L6	10	15.8 Inches	Total Reams 25	Formerly:Maxguard/ICGS

SPONSOR: WHITAKER BROTHERS BUSINESS MACHINES, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Datastroyer	202SF	4	10.25 Inches	Total Reams 9	
	302SF	4	10.25 Inches	Total Reams 9	Formerly: Intimus 302SF
	402SF	4	10.25 Inches	Total Reams 9	
	502SF	6	12.25 Inches	Total Reams 17	Formerly: Intimus 502SF

SPONSOR: WHITAKER BROTHERS BUSINESS MACHINES, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Datastroyer	702SF	11	16 Inches	Total Reams 29	Formerly: Intimus 702SF
	1010 MS	3	10.5 Inches	Total Reams 9	
	1215 MS	5	12 Inches	Total Reams 11	
	1615 MS	4	16 Inches	Total Reams 11	
	1628 MS	10	15.8 Inches	Total Reams 25	
	DCS 36/6	7	13 Inches	Total Reams 15	Optical destruction rate located on first table
	DS-3 Deployment Shredder	3	9 Inches	Total Reams 5	
	DS-4 Deployment Shredder	3	9 Inches	Total Reams 5	
	DS-5 Deployment Shredder	6	10.25 Inches	Total Reams 15	
	DS-6 Deployment Shredder	6	10.25 Inches	Total Reams 15	
	DS-7 Deployment Shredder	10	12 Inches	Total Reams 26	
Destroyit	2360 SMC	3	9 Inches	Total Reams 5	Formerly: 2350 SMC
	2600 SMC	5	10.25 Inches	Total Reams 11	
	2600/2 SMC	6	10.25 Inches	Total Reams 15	
	2603/2 SMC	6	10.25 Inches	Total Reams 15	Formerly: 2603 SMC Formerly: 2602 SMC
	2604 SMC	6	10.25 Inches	Total Reams 15	
	2605 SMC	8	10.25 Inches	Total Reams 17	
	3105 SMC	10	11.75 Inches	Total Reams 28	
	3014 SMC	10	12.5 Inches	Total Reams 21	
	4002 SMC	5	16 Inches	Total Reams 14	
	4014/2 SMC	10	16 Inches	Total Reams 24	Formerly: 4014 SMC
Datastroyer	007SF	10	12 Inches	Total Reams 26	Formerly: Intimus 007SF

SPONSOR: WHITAKER BROTHERS BUSINESS MACHINES, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Datastroyer	007SF Retro-fit	9	12 Inches	Total Reams 25	Formerly: Intimus 007SF Replacement head unit for models made prior 1/1/02
	0077SF	8	9.25 Inches	Total Reams 23	Formerly: Intimus 0077SF
	0077SL	8	12 Inches	Total Reams 15	Formerly: Intimus 0077SL
Intimus	602SF	5	16 Inches	Total Reams 11	

SPONSOR CONTACT INFORMATION

ACCO Brands USA LLC
Kemper Lakes Business Center
Building 4 Four Corporate Drive
Long Grove, Illinois 60047

Customer Service
E-mail: @acco.com
Tel: 1-800-723-4000

Adams Marketing Associates **“Out of Business”**
~~306A Asheake Road~~
~~Ashland VA 23005~~
URL: ~~www.adamsmarketing.com~~
GSA Contract#: **GS-02F-108AA**

Bonnie Whittaker, Vice President Government Sales
E-mail: Bonnie@adamsmarketing.com
Tel: ~~1-800-322-6082~~
Fax: ~~1-804-752-6324~~

Clary Business Machines Co.
6224 Ferris Square
San Diego, CA 92121
URL: www.clarybusinessmachines.com
GSA Contract#: **GS-02F-0166V**

Kevin Wong, Internet Sales Manager
E-mail: kevin@claryco.com
Tel: 1-858-552-0290
Fax: 858-552-8609

Capital Shredder Corp.
5550 Wilkins Court
Rockville, MD 20852
URL: www.papershredders.com
GSA Contract#: **GS-25F-0024M**

Gregory V. DiGioia, President
H. Kim Jones, CEO
E-mail: Info@papershredders.com
Tel: 1-301-770-3900
Fax: 1-301-770-4286

Cummins-Allison Corp.
15744 Crabbs Branch Way Suite 200
Derwood, MD 20855
URL: www.GSAadvantage.gov
GSA Contract#: **GS-02F-0129P**

David Pavlik, Branch Manager
E-mail: pavlikd@cumminsallison.com
Tel: 1-240-386-0160
Fax: 1-240-386-0163

Dahle North America, Inc.
49 Vose Farm Road
Peterborough, NH 03458
URL: www.dahle.com
GSA Contract#: **GS-02F-0112P**

Scott A. Prokop, Vice President
E-mail: sprokop@dahle.com
Tel: 1-800-995-1379
Fax: 1-603-924-1616

Fellowes Business Machines

1789 Norwood Avenue
Itasca, IL 60143-1095
URL: www.fellowes.com

Mike Smith, National Sales Manager Government

E-mail: MSmith@fellowes.com
Tel: 1-630-671-8461
Fax: 1-630-893-1648

Formax

44 Venture Drive
Dover, NH 03820
URL: www.formax.com
GSA Contract#: **GS-02F-0209S**

Charles MacNeil, Vice President of Marketing

Email: CMacNeil@Formax.com
Tel: 1-800-232-5535 Ext. 31

HSM of America, Inc.

419 Boot Road
Downingtown, PA 19335
URL: www.hsmofamerica.com
GSA Contract#: **GS-02F-0120P**

Marshall Eubanks, Senior Product Manager

mail: marshall.eubanks@hsmofamerica.com
Tel: 1-800-613-2110
Fax: 1-484-237-2340

Intimus International

251 Wedcor Avenue
Wabash, IN 46992
URL: www.intimus.us

Peter Dempsey, Vice President, Sales and Marketing

E-mail: peter.dempsey@intimus.com
Tel: 1-800-775-2122
Fax: 1-844-563-7720

MS SecureShred, Inc.

46571 Fremont Blvd.
Fremont, CA 94538
URL: www.mssecureshred.com

“Out of Business”

~~Gordon Woo~~ *** **New Representative is SEM** ***

E-mail: Gordon@mssecureshred.com
Tel: 1-510-252-1366
Fax: 1-510-252-9320

Marquis Business Systems, L.L.C.

700 Route 46 West, Suite 6
Clifton, NJ 07013
URL: www.kobrashredders.com

Matt Arki, President

E-mail: Info@KobraShredders.com
Tel: 1-973-340-3111
Fax: 1-973-340-3770

New Market Enterprises, Ltd.

dba Dynamo Shredders
392 Harbor Ridge Dr.
Palm Harbor, FL 34683-1426
URL: www.DynamoShredders.com
GSA Contract #: **GS-02F-0191P**

James J. Mokhiber, CEO

E-mail: jmokhiber@newmarketLtd.net
E-mail: government@DynamoShredders.com
E-mail: eficca@DynamoShredders.com
E-mail: jomahony@newmarketLtd.net
Tel: 1-484-341-8004, Fax: 1-484-872-0089

Olympia Business Systems, Inc.
251 Wedcor Avenue
Wabash, IN 46992
URL: www.martinyaleGSA.com
GSA Contract#: **GS-25F-0023L**

Alex Castro, GSA Coordinator
E-mail: alex.castro@intimus.com
Tel: 1-800-775-2122, ext. 310
Fax: 1-844-563-7720

ProSource Packaging, Inc.
14911 Stuebner Airline Road, Suite A
Houston, TX 77069-2122
URL: www.machine-solution.com
URL: <http://gsa.machine-solution.com/>
GSA Contract #: **GS-02F-0179S**

Paul Baumgarten, Vice President Sales
Gilbert Baumgarten-Arias, IT Specialist
E-mail: paul@machine-solution.com
Tel: 1-281-453-8801
Tel: 1-800-203-0233
Fax: 1-281-453-8806

Security Engineered Machinery, Inc. (SEM)
5 Walkup Drive
Westboro, MA 01581
URL: www.semshred.com
GSA Contract#: **GS-02F-0111P**

Terry Creek, Vice President Government Sales
E-mail: t.creek@semshred.com
Tel: 1-800-225-9293
Fax: 1-508-836-4154

Staples Technology Solutions
7021 Dorsey Road
Hanover, MD 21076

David Girod, Senior Account Manager
E-mail: David.Girod@staples.com
Tel: 1-410-567-2733
Fax: 1-410567-2765

Whitaker Brothers Business Machines, Inc.
3 Taft Court
Rockville, MD 20850
URL: www.whitakerbrothers.com
GSA Contract #: **GS-02F-0110P**

Joe Mitchell, President
Lauren Rossi, Vice President of Government Sales
E-mail: gsa@whitakerbrothers.com
Tel: 1-800-243-9226/1-301-354-3000
Fax: 1-301-354-3003
